Tecnotrip
VACUUM PACK TECHNOLOGY

Tecnotrip
VACUUM PACK TECHNOLOGY

TSB -A-100-SK

Semi-automatic tray sealer
with SKIN





Factories



Packaging centers



Catering

Ideal for enhancing product presentation and adding value.
Suitable e for medium productions with the possibility of a constant mold change.
Recommended for all sectors, where product preservation, good presentation and ease of storage and cleaning be required.

The **TSB-A-100 SK** are ideal for:



Tecnotrip, S.A.
C/ L'Alguer, 22 · Pol. Ind. Nord
08226 Terrassa (Barcelona) España
Tel.: +34 93 735 69 69
WhatsApp: 695 781 799
tecnotrip@tecnotrip.com

tecnotrip.com youtube

Tecnotrip
VACUUM PACK TECHNOLOGY

TSB -A-100-SK

Semiautomatic tray sealer with SKIN

We design, manufacture and market.

Seriousness, commitment, quality and service... loyalty to our customers



Dual-push operation for automatic drawer entry. The drawer automatically ejects at the end of the cycle (convenient for packaging fresh products)




Automatic system for collecting excess film. Controlled by a system that ensures máximum utilization




Perimeter seal cutting. Automatic drawer entry and exit






For preformed trays

Maximum tray dimensions
(1 cavity mold)



Maximum tray dimensions
(2 cavity molds)



Moldes



1 cavity: 1x
320x260xmm
1/2 G


2 cavities: 2x
260x160 mm
1/4 G



4 cavities: 4x
170x130 mm
1/8 G

Possibility
special molds

Programas de envasado **Gas**



Description

Semi-automatic vacuum traysealer for preformed trays. Vacuum packaging with modified atmosphere and/or SKIN, to achieve longer preservation, better presentation, as well as ease of storage and transport. SKIN packaging can be done in trays or cardboard. The SKIN system adapts to the contour of the product like a second skin, allowing not only an extended shelf life of fresh products but also keeping the flavor, texture and aroma intact. Its 3D presentation and easy-opening feature make it highly attractive both on the retailer's shelf and for the consumer

Features

- Automatic drawer entry and exit
- Easy to clean
- Manufactured according to CE standards
- Independent sealing system between trays
- Perimeter film cutting
- Automatic excess film collection device
- Tool-free mold change

Technical data

External dimensions/mm:	720x950x1575
Maximum tray dimensions/mm:	265x405x110
Maximum roll dimensions/mm:	230x450
Cycles/min:	3/4
Power/Kw:	1,1/1,4
Electrical connection:	220/380V 50/60Hz ^{3}ph
Weight/kg:	280

Equipment

Pump	40 and 63 m 3/h
Digital programmer	CD system
Gas and SKIN	

Digital programmer information

- 10 selectable programs
- Vacuum control by sensor
- Suplementary vacuum function
- Vacuum verification program
- Cycle counter

ECO mode function (pump off)

Accesories and consumables

Tray film